

AVANTGARDE

&

Jewel



RE-WORK ASH 1200 mm x 600 mm



M-2061

RE-WORK ASH
1200 mm x 600 mm



M-2061

RE-WORK PERLA
1200 mm x 600 mm

RE-WORK



M-2061

RE-WORK ROPE
1200 mm x 600 mm



M-2061

RE-WORK RUST
1200 mm x 600 mm



M-2061

RE-WORK TAUPE
1200 mm x 600 mm



RE-WORK TAUPE
1200 mm x 600 mm

AVANTGARDE




VOYAGE FUME 1200 mm x 600 mm



M-2061


VOYAGE FUME
1200 mm x 600 mm



M-2061

VOYAGE GRAPHITE
1200 mm x 600 mm

VOYAGE



M-2061

VOYAGE PERLA
1200 mm x 600 mm




M-2061

VOYAGE MARRIL
1200 mm x 600 mm



M-2061

VOYAGE CORDA
1200 mm x 600 mm



M-2061

VOYAGE DUST
1200 mm x 600 mm




M-2061

VOYAGE MUD
1200 mm x 600 mm

AVANTGARDE



URBAN DESIGN GRAPHITE 1 200 mm x 600 mm



M-2061

URBAN DESIGN GRAPHITE
1200 mm x 600 mm



URBAN DESIGN GRAPHITE 1200 mm x 600 mm



M-2061

URBAN DESIGN CENERE
1200 mm x 600 mm



URBAN DESIGN GRAPHITE 1 200 mm x 600 mm



M-2061

URBAN DESIGN ROPE
1200 mm x 600 mm


URBAN DESIGN



URBAN DESIGN GRAPHITE 1 200 mm x 600 mm



POESIA GRIGIA 1200 mm x 600 mm



M-2062

POESIA GRIGIA
1200 mm x 600 mm



M-2062

POESIA BIANCA
1200 mm x 600 mm



POESIA BIANCA 1200 mm x 600 mm

POESIA



STEEL PECE 1200 mm x 600 mm



M-2062

STEEL PECE
1200 mm x 600 mm



M-2062

STEEL TORTORA
1200 mm x 600 mm

STEEL



AVENUE PERLINO 1200 mm x 600 mm



M-2062

AVENUE PERLINO
1200 mm x 600 mm



M-2062

AVENUE GRIGIO
1200 mm x 600 mm

AVENUE



AVENUE COCO 1200 mm x 600 mm



M-2062

AVENUE COCO
1200 mm x 600 mm



M-2062

AVENUE COLD
1200 mm x 600 mm




STATURO 1200 mm x 600 mm



M-2063

STATURO
1200 mm x 600 mm



M-2063


TUSCANY BEIGE
1200 mm x 600 mm



TUSCANY BEIGE 1200 mm x 600 mm



PORTORO SILVER 1200 mm x 600 mm



M-2064

PORTORO SILVER
1200 mm x 600 mm



M-2064

FUSELLI BROWN
1200 mm x 600 mm

FUSELLI BROWN 1200 mm x 600 mm



* All sizes in mm

Note: Colours shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However, the company reserves the right to change the specifications without prior notice. Sometimes variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advise you to follow the fixing instructions on the cartons of the tiles as no responsibility can be accepted by the company once the tiles have been fixed.

Size (mm)	No. of pcs/box	Area coverage in sqm/box
1200 x 600	2	1.44

Technical Specification

CHARACTERISTIC	STANDARD AS PER ISO 13006/EN14411 GROUP BLA	MEAN VALUE OF HARMONY POLISHED GVT	MEAN VALUE OF HARMONY SATIN GVT	STANDARD TEST METHOD
REGULATORY PROPERTIES				
Length and with	±0.5 %	±0.1 %	±0.1 %	ISO 10545-2
Thickness	±5.0 %	±4.0 %	±4.0 %	ISO 10545-2
Straightness of Sides	±0.5 %	±0.1 %	±0.1 %	ISO 10545-2
Rectangularity	±0.5 %	±0.1 %	±0.1 %	ISO 10545-2
Surface Flatness	±0.5 %	±0.2 %	±0.2 %	ISO 10545-2
Color difference	Unaltered	No change	No change	ISO 10545-16
Glossiness	As per mfg	Min 90%	Min 4%	GLOSSOMETER
STRUCTURAL PROPERTIES				
Water Absorption	±0.50 %	±0.20 %	±0.20 %	ISO 10545-3
Apparent density	±2.0 g/cc %	±2.10 g/cc %	±2.10 g/cc %	DIN 51082
MASSIVE MECHANICAL PROPERTIES				
Modulus of Rupture	Min. 34 N/mm2	Min. 40 N/mm2	Min. 40 N/mm2	ISO 10545-4
Breking Strength	Min. 1300 N	Min. 2000 N	Min. 2000 N	ISO 10545-4
Impact resistsnce	As per mfg.	Min. 0.55	Min. 0.55	ISO 10545-5
SURFACE MECHANICAL PROPERTIES				
Surface abrasion resistance	As per mfg.	Min. Class-3	Min. Class-4	ISO 10545-7
MOH's hardness	As per mfg.	Min. 4	Min. 4	EN 101
TEROM HYGROMETRIC PROPERTIES				
Frost Resistance	No damage	No damage	No damage	ISO 10545-12
Thermal Shock Resistance	No damage	No damage	No damage	ISO 10545-9
Moisture expansion	Nil	Nil	Nil	ISO 10545-10
Thermal expansion (COE)	Max. 9.0 x 10.6	Max. 6.5 x 10	Max. 6.5 x 10	ISO 10545-8
Crazing resistance	As per mfg.	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-11
CHEMICAL PROPERTIES				
Chemicale resistance	No damage	No damage	No damage	ISO 10545-13
Stain resistance	Resistant	Resistant	Resistant	ISO 10545-14
SAFETY PROPERTIES				
Slip resistance	As per mfg.	>4.40	>4.40	ISO 10545-17
Stain resistance	As per mfg.	Fireproof	Fireproof	N.A.
Lead & Cadmium given off by glazed tiles	As per mfg.	Does not fileld Pb & Cd	Does not fileld Pb & Cd	ISO 10545-15



GRAFFITI (INDIA) PVT. LTD.

Corporate Office : Graffiti House, Block No. 20, Magnet Corporate Park,
100 ft. Hebatpur-Thaltej Road, Off S.G.Highway, Thaltej,
Ahmedabad-380 054, INDIA.
Ph. : + 91 79 29709611/2/3/4, + 91 79 26406811/12/13
email : info@graffititiles.com
website : www.graffititiles.com, Instagram: graffiti_tiles

BROCHURE AVANTGARDE & JEWEL (284 x 200) P-GH062

